In the Claims:

Please amend the claims as follows:

1. (Currently Amended) A job scheduling device for scheduling jobs to run on at least one node of at least one computing platform, comprising:

an enterprise scheduling agent installed on each node and configured to launch execution of jobs submitted to the agent;

a presentation layer system configured to accept and validate parameters identifying at least one job to be submitted for execution on at least one of said nodes; and

a job scheduler configured to allocate at least one job based on said parameters to at least one enterprise scheduling agent and to submit the allocated jobs to said at least one enterprise scheduling agent.

- (Original) The job scheduling device according to Claim 1, further comprising:

 a job data management device configured to maintain job data and job histories of jobs submitted
 to each enterprise scheduling agent.
- (Original) The job scheduling device according to Claim 2, wherein said job histories include information received from each enterprise scheduling agent regarding status of the jobs submitted.
- 4. (Original) The job scheduling device according to Claim 2, wherein said job data management device is utilized by said job scheduler to set parameters in jobs to be submitted to said enterprise scheduling agent.

5. (Currently Amended) The job scheduling device according to Claim 1, further comprising:

a job history repository that saves both jobs and job histories of jobs submitted to each enterprise scheduling agent;

wherein each enterprise scheduling agent comprises,

job scheduler and each enterprise scheduling agent; and

an agent communicator configured to send and receive messages between said job scheduler and the enterprise scheduling agent,

a job manager configured to setup, launch, run, and manage jobs submitted to the enterprise scheduling agent,

a data manager configured to update and delete data from said job history repository, and a low level API configured to handle internal functions of said enterprise scheduling agent (LES Agent), file management, and message handling functions.

6. (Original) The job scheduling device according to Claim 5, further comprising:

an enterprise communicator configured to construct and communicate messages between said.

a job data management device configured to maintain job histories of jobs submitted to each enterprise scheduling agent;

wherein said data manager updates said job history via enterprise communicator messages sent from the enterprise scheduler to said job data management device.

7. (Original) The job scheduling device according to Claim 1, further comprising:
a command line device configured to accept commands regarding administration of jobs
submitted to the enterprise scheduling agents; and



a job administration device configured to communicate said command line to at least one of said enterprise scheduling agents for execution.

8. (Original) The job scheduling device according to Claim 7, wherein: said commands accepted by said command line device include at least one of delete a job and all runs of the job, cancel a job's run, list all jobs, list all jobs by at least one of product code, status, and node, and rerun a job immediately.

9. (Original) The job scheduling device according to Claim 8, wherein: said commands accepted by said command line device include context variables; and said enterprise scheduling agent converts said context variables according to a current job and job parameters, and executes said commands.

10. (Original) The job scheduling device according to Claim 1, further comprising:
a point product device configured to provide a communication link between said enterprise

scheduling agent and at least one product submitting jobs to said job scheduling device;

wherein said point product device communicates job status, job logfile, setup, cancel, job parameter functions, and requests between each enterprise scheduling agent and said at least one product.

- 11. (Original) The job scheduling device according to Claim 10, further comprising:
- a job administration device configured to accept command line inputs and communicate said command line inputs to at least one enterprise scheduling agent;
 - a job data management device configured to maintain job histories of jobs submitted to each



enterprise scheduling agent; and

an enterprise communicator configured to send messages between at least one of said job scheduler, point product device, job administration device, and job data management device and each of said enterprise scheduling agents.

12. (Original) The job scheduling device according to Claim 1, further comprising: an enterprise communicator configured to send messages between said job scheduler and each of said enterprise scheduling agents.

13. (Original) The job scheduling device according to Claim 12, wherein:

each enterprise scheduling agent is registered at a specific node address that identifies each enterprise scheduling agent with a unique datagroup; and

said enterprise communicator encodes each message with at least one destination corresponding to a datagroup to direct each message to at least one enterprise scheduling agent.

14. (Original) The job scheduling device according to Claim 1, further comprising: a local job repository installed on each of said nodes;

wherein:

each local job repository maintains job and job history information on each job submitted to the node where the local job repository is installed;

each local job repository is updated by the enterprise scheduling agent installed on the node where the local job repository is installed; and



said job information includes job parameters needed to execute each job.

15. (Original) The job scheduling device according to Claim 14, further comprising:

a job data management device configured to maintain job histories of jobs submitted to each enterprise scheduling agent; and

a synchronizing device configured to synchronize each local job repository with the job histories maintained by said job data management device.

16. (Original) The job scheduling device according to Claim 1, further comprising: a progress monitor configured to monitor and display execution of at least one of said jobs; wherein:

said progress monitor provides a visual display of,

an identification of said job and a current phase of said job,

- a percentage complete of said job, and
- a percentage complete of said current phase.
- 17. (Original) The job scheduling device according to Claim 1, further comprising: an auto login device configured to accept login parameters from a user submitting a job; wherein said login parameters are utilized by an enterprise scheduling agent to launch and execute the job submitted.
 - 18. (Original) The job scheduling device according to Claim 1, further comprising:



a notification scripting device configured to execute a notification script having instructions for notifying a user of status of a submitted job;

wherein said notification scripting device includes facilities for creating, editing, and selecting a notification script for a specific job.

19. (Currently Amendedl) The job scheduling device according to Claim 1, wherein: said presentation <u>layer system</u> includes,

a GUI interface that accepts user inputs for scheduling and specifying a job to be submitted; wherein said GUI interface includes facilities for selection and creation of a scheduling calendar, selection of a start date and time, selection of recurring job run intervals, and selection of an immediate job run.

- 20. (Original) The job scheduling device according to Claim 1, further comprising: a resource management device configured to enable a user to locate and view jobs and job runs.
- 21. (Previously Amended) The job scheduling device according to Claim 20, wherein: said resource management device includes a GUI for defining an object representing a job, having,
- a general properties page having input fields for a label identifying the job, and a description of the job,
- a description properties page having a selection field for identifying an icon for representing the job, and
 - a repository page having a selection field for identifying a time zone for display of job

times.

22. (Original) The job scheduling device according to Claim 21, wherein: objects defined by said resource management device comprise,

a hierarchy of folders including at least one of an all jobs folder, a jobs by group folder, a jobs by node folder, a jobs by product folder, a jobs by type folder, and a jobs by user folder.

23. (Original) The job scheduling device according to Claim 22, wherein said all jobs folder includes folders, including,

an all jobs any status folder listing jobs regardless of status and associated job history of each job, an all runs by status folder listing jobs according to status, including completed runs, failed runs, not started runs, preempted runs, running runs, and stopped runs,

- a held jobs folder listing jobs that are held and can be scheduled for a later time, and a scheduled jobs folder listing jobs that are scheduled to run.
- 24. (Currently Amended) The job scheduling device according to Claim 1, wherein: said presentation layer system includes, a strategy scheduling window configured to allow a user to view, create, modify, and delete schedules for a strategy.
- 25. (Currently Amended) A method of scheduling jobs across multiple networked computing platforms, comprising the steps of:

determining at least one job based on job parameters for at least one job to be scheduled;



sending said at least one job to at least one scheduling agent maintained on a selected nodes of said computer platforms; and

executing each job on the selected node under management of said scheduling agent.

- 26. (Currently Amended) The method according to Claim 25, further comprising the steps of: monitoring progress of the executing job; and displaying said progress on a progress monitor.
- 27. (Currently Amended) The method according to Claim 25, further comprising the step of recording each job and a history of each job in a job history repository.
 - 28. (Currently Amended) The method according to Claim 27, further comprising the step of: utilizing a job data management device for,

retrieving status messages regarding each job sent from a scheduling agent of a selected node of said job, and

updating said job history repository based on said status messages.

- 29. (Currently Amended) The method according to Claim 28, further comprising the step of: maintaining a local job repositories, respectively on each of said nodes, each containing job and job history information for each job submitted to the respective node.
 - 30. (Currently Amended) The method according to Claim 29, further comprising the step of: synchronizing said job history repository with each local job repository.



31. (Currently Amended) The method according to Claim 25, wherein said step of determining comprises the steps of:

retrieving said job parameters from one of a product and a user interface that collects said job parameters;

validating said job parameters; and allocating a job based on said job parameters.

32. (Currently Amended) The method according to Claim 25, wherein said step of sending comprises the steps of:

packaging said job parameters in a communication format; and transmitting the packaged job parameters from a computing platform where said job parameters are determined to said scheduling agent maintained on the selected node.

33. (Currently Amended) The method according to Claim 25, wherein said step of executing comprises the steps of:

setting up the selected node to run an application program identified by said job parameters; executing said application program on the selected node; and monitoring progress of said application being executed.

34. (Currently Amended) The method according to Claim 25, further comprising the steps of: accepting a command line for administration of jobs submitted to said enterprise scheduling agents;

communicating said command line to at least one of said enterprise scheduling agents for

and

execution.

35. (Currently Amended) The method according to Claim 34, further comprising the steps of: substituting context variables in said command line with data based on said context variable and the job to be administered; and executing the command line.

- 36. (Currently Amended) The method according to Claim 25, further comprising the step of: communicating data, including at least one of job status, job logfile, setup, cancel, job parameter functions, and requests for said data between a product and each enterprise scheduling agent.
- 37. (Currently Amended) The method according to Claim 25, further comprising the steps of: registering each enterprise scheduling agent at a node address that identifies the registered enterprise scheduling agent with a unique datagroup;

communicating jobs and job administration commands and requests with each enterprise scheduling agent via messages; and

encoding each message sent to a recipient enterprise scheduling agent with at least one destination corresponding to a datagroup that directs said message to the recipient enterprise scheduling agent.

38. (Currently Amended) The method according to Claim 25, further comprising the steps of: retrieving autologin parameters from a user scheduling an auto login job; and launching execution of said job utilizing said auto login parameters.



- 39. (Currently Amended) The method according to Claim 38, further comprising the steps of: retrieving a notification script for a job being submitted; and executing the notification script on at least one of completion of said job and at a requested status point.
- 40. (Currently Amended) The method according to claim 25, further comprising the steps of: accepting a scheduling calendar identifying at least one of execution times and intervals for at least one of said jobs; and executing said jobs on selected nodes at the times and intervals identified in the calendar.
- 41. (Currently Amended) The method according to Claim 25, further comprising the steps of: providing a description of at least one of said jobs, including a written description, a label, and an icon selected to represent said job; and identifying a time zone for display of job times.
- 42. (Currently Amended) The method according to Claim 25, further comprising the steps of: placing information about job times and status in an object containing folders, each folder identifying a categorization of jobs contained therein, including, an all jobs folder, a jobs by group folder, a jobs by node folder, a jobs by product folder, a jobs by type folder, and a jobs by user folder.
 - 43. (Currently Amended) The method according to Claim 42, further comprising the step of: organizing said all jobs folder to maintain additional folders, including, at least one of, an all jobs any status folder listing jobs regardless of status and associated job history of each job,



an all runs by status folder listing jobs according to status, including completed runs, failed runs, not started runs, preempted runs, running runs, and stopped runs,

a held jobs folder listing jobs that are held and can be scheduled for a later time, and a scheduled jobs folder listing jobs that are scheduled to run.

- 44. (Currently Amended) The method according to Claim 25, further comprising the steps of providing a strategy scheduling window that allows a user to view, create, modify, and delete schedules for a strategy.
- 45. (Currently Amended) A computer readable media, having instructions stored thereon that, when loaded into a computer, cause the computer to perform the steps of:

determining at least one job based on job parameters for at least one job to be scheduled; sending said at least one job to at least one scheduling agent maintained on a selected nodes of said computer platforms; and

executing each job on the selected node under management of said scheduling agent.

46. (Currently Amended) A job scheduling device for scheduling jobs to run on at least one node of at least one computing platform, comprising:

enterprise scheduling means installed on each node and configured to launch execution of jobs submitted to the enterprise scheduling means;

presentation means configured to accept and validate parameters identifying at least one job to be submitted for execution on at least one of said nodes; and

job scheduler means configured to allocate at least one job based on said parameters to at least one



enterprise scheduling means and to submit the allocated jobs to <u>said</u> at least one enterprise scheduling means.

Please add claims 47-50 as follows:

- 47. (New) The job scheduling device as recited in claim 1, wherein the presentation system comprises a Graphic User Interface Application Program Interface (API GUI).
- 48. (New) The job scheduling device as recited in claim 46, wherein the presentation means comprises a Graphic User Interface Application Program Interface (API GUI).
- 49. (New) A job scheduling system for scheduling jobs to run on at least one node of at least one computing platform, comprising:

an enterprise scheduling agent installed on each node and configured to launch execution of jobs submitted to the agent;

a presentation system configured to accept and validate parameters identifying at least one job to be submitted for execution on at least one of said nodes; and

a job scheduler configured to allocate at least one job based on said parameters to at least one enterprise scheduling agent and to submit the at least one allocated job to said at least one enterprise scheduling agent so that the at least one allocated job can be executed on a node having the at least one enterprise scheduling agent to which the job was allocated and submitted.



50. (New) A job scheduling method for scheduling jobs to run on at least one node of at least one computing platform, comprising:

installing an enterprise scheduling agent on each node for launching execution of jobs submitted to the agent;

accepting and validating parameters identifying at least one job to be submitted for execution on at least one of said nodes;

allocating at least one job based on said parameters to at least one enterprise scheduling agent; submitting the at least one allocated job to said at least one enterprise scheduling agent; and executing the at least one allocated job on a node having the at least one enterprise scheduling agent to which the job was allocated and submitted.

